

<b>Fabric Name:</b>	Hydro Tech Texture
<b>Fiber Content:</b>	93% Polyester / 7% Spandex
<b>Weight (Before Wash):</b>	135 GSM
<b>Weight (After Wash):</b>	135 GSM
<b>Finished Width:</b>	60"
<b>Cutable Width:</b>	58"
<b>Gauge:</b>	—
<b>Yarn Technique:</b>	Piece Dye
<b>Type of Yarn:</b>	Polyester + Spandex
<b>Weave / Knit:</b>	Rip Stop Knit
<b>Dyeing Method:</b>	Piece Dye
<b>Finish Method:</b>	Water Repellent Coating
<b>Dyestuff Type:</b>	Disperse Dyes
<b>Greige Availability:</b>	Yes
<b>Country of Origin:</b>	China
<b>Care Instructions:</b>	Wash below 40°C, Do Not Bleach, Do Not Tumble Dry, Iron on Low Heat if Needed, Dry Clean with Care
<b>Shrinkage:</b>	< ±5%

<b>Test Report</b>	Report No: JC25025298AR3 1
	Page 1 of 4

**Applicant Name** : RABATEX  
**Applicant Address** : MEXICO  
**Receive Date** : Aug 27, 2025  
**Report Date** : Aug 30, 2025  
**Testing Period** : Aug 28, 2025 ~ Aug 29, 2025


**The following information is declared by the applicant:**

**Sample Name** : FABRIC WOVEN RIPSTOP  
**Sample Quantity** : One piece  
**Invoice No.** : DR-1  
**Test Result(s)** : Please refer to next page(s).

Original Sample



Authorized Signature

For and on behalf of  
ZHEJIANG QIT TESTING TECHNOLOGY SERVICE CO.,LTD  
浙江恒祥检测技术服务有限公司  
  
Authorized Signature(s)



中国认可  
国际互认  
检测  
TESTING  
CNAS L3152



No.	Test Item(s)	Test Result(s)
		[A]
1	Azo colorants	#

Remark #:No Specified Requirement, No Comment  
: The data of sample A in this report is quoted from the report No. JC25(N0)025298A.